




Broiler
Equipment

SPIRAL FEED LINE



Hopper shipped unassembled.
Easy to install.



Hopper 100-150 kg.
Single/Double Outlet



Double outlet hopper
is placed in middle
offline



Ridge on pipe
prevents feeder
from turning
right - left

Hopper lock



Keeps the pipe
stable



Feeder motor
0.75 kw. 1.1 kw



SPIRAL FEED LINE



Aytav feeders used from day 1-7 to 45. in broiler farms. Includes feed stopper feed level adjuster.

12 Section Broiler Feeder



Day 7-45
chicks broiler
commercial
layers

Product Code | **302002**

Chick and Broiler Feeder (Adjustable)



Day 7-45
day old
chicks and
chickens

Product Code | **302006**

18 Section Broiler Feeder



18 section
chicks, chicken

Product Code | **302008**

End-Line Feeder

Electronic sensor



Product Code | **302031-1**

Mid-Line Stopper

Electronic sensor



Product Code | **302032**

Electronic Sensor



Product Code | **302030-4**

Mechanic Switch



Product Code | **302030-3**



MANUEL FEEDERS

Bucket Feeder

Capacity: 5 Kg.



Bucket feeder could be used from first day of chicks. Feed level is adjustable. Feed capacity is 5 kg.

Product Code | **302404**

Feeder

Capacity: 3.5 Kg



Product Code | **302408**

Feeder

Capacity: 3 Kg



Product Code | **302406**

Tray Feeder



Product Code | **302403**

- The tray feeder is for 100 chicks.
- By means of the pores it invites the chicks to the feed in the first day.
- It prevents chicks feet from slipping and scattering the feed.
- It can be used both sides.

Feeder & Drinker Stand



Product Code | **302304**

Ceiling Winch

1350 lbs - 600 kg.



Product Code | **303201**

Wall Winch

1350 lbs - 600 kg.



Product Code | **303202**

Heavy Ceiling Winch

1500 kg.



Product Code | **303204**

Heavy Ceiling Winch

1500 kg.



Product Code | **303205**

Plastic Pulley

Ø 57 mm



Product Code | **303212**

Plastic Pulley

Ø 20 mm



Product Code | **303210**

Steel Pulley

Ø 60 mm



Product Code | **303214**

NIPPLE DRINKING SYSTEM



Stainless Broiler Nipple

Product Code | **302200**



- Main body made of stainless steel.
- Specially designed for broiler. Inside of body is made of stainless steel.
- It is possible to direct the water up, down, right or left sides.
- 65 ml. minute

Plastic Broiler Nipple

Product Code | **302202**



- Main body is made of plastics.
- Specially designed for broiler.
- It is mounted by screwing the body.
- Inside of body is made of stainless steel.
- It is possible to direct the water up, down, right or left sides.
- 70 ml. minute

Stainless Broiler Nipple

Product Code | **302204**



- Main body is made of plastics.
- Specially designed for broiler.
- Inside of body is made of stainless steel.
- It is possible to direct the water up, down, right or left sides.
- 80 ml. minute

Nipple With Clamp For Round Pipe

Product Code | **302205**



- Specially designed for broiler. Inside of body is made of stainless steel. It is possible to direct the water up, down, right or left sides.
- 80 ml. minute

Nipple With Clamp For Square Pipe

Product Code | **302206**



- Specially designed for broiler.
- Inside of body is made of stainless steel.
- It is possible to direct the water up, down, right or left sides.
- 80 ml. minute

Chubby Nipple With Ball

Product Code | **302208**



- The nipple drip pin is attached to the pipe
- Dripping water from the nipple is collected at the bottom of the plate then is drunk by chickens.
- 60 ml. minute

NIPPLE DRINKING SYSTEM



Nipple Chubby 360°

- Round support pipe 27 mm
- Round water pipe 27 mm
- 60 ml. / minute



Nipple White Clamp 360°

- Round support pipe 27 mm
- Round water pipe 27 mm
- 80 ml. / minute



NIPPLE DRINKING SYSTEM

Plastic Broiler Nipple

- Round support pipe 21 mm
- Square water pipe 22 mm
- 70 ml. / minute




Plastic Broiler Nipple

- Round support pipe 27 mm
- Square water pipe 22 mm
- 70 ml. / minute



Plastic Broiler Nipple

- Aluminium support pipe
- Square water pipe 22 mm
- 70 ml. / minute nipple



NIPPLE DRINKING SYSTEM

Drinker
3 Liters
Product Code | **302301**



Capacity: 50 Chick

Drinker
6 Liters
Product Code | **302302**



Capacity: 100 Chick

Drinker
10 Liters
Product Code | **302303**



Capacity: 160 Chick

Bottom Plate
Has Top



Drip Cup For
Square Pipe



Product Code | **302242**

Double Arm
Nipple Crip
Cup



Product Code | **302244**

Drip Cup For
Round Pipe



Product Code | **302243**

Pipe Hanger
With Clamp



Alt : Ø 21/27 mm
Üst : Ø 22/27 mm

Product Code
302246-47-47-1

Drip Cup For Square Pipe

Product Code | **302249**



New - Strong - Smooth

NIPPLE DRINKING SYSTEM

Water Regulator

- Controls water pressure



Product Code | **302223**

End-Line Valve

- Water level pipe



Product Code | **302224**

Water Slope Regulator




Product Code | **302227**

Water Control System

- Filter water
- Controls water pressure
- By Pass included
- Medicates the water

Product Code | **302265**



Water Filter

1



2-20
6-20

Product Code | **302255**

Lime Dust Filter

2



- Stones replaced when finished

Product Code | **302256**

Medicator

3



- Helps to medicate the water that goes to nipple lines.
- Injection 0,2 - 2,2 %
- Water Bar 0,3 - 4 bar

Product Code | **302251**

Electronic Water Meter

4



- Show water consumption

Product Code | **302260**

COOLING SYSTEMS

PVC Frame Paper Cooling Pad

Product Code | **302724**



Galvanized Frame With Pads



- Lenght : 300 cm
- Height : 150 cm
- Width : 10 cm

Product Code | **302703**

- Lenght : 300 cm
- Height : 150 cm
- Width : 15 cm

Product Code | **302704**

- Lenght : 300 cm
- Height : 180 cm
- Width : 15 cm

Product Code | **302709**

Cooling Pad Window System

300 x 100 cm

Product Code | **302764**

300 x 120 cm

Product Code | **302764-1**



Cooling Pads (Painted)



- Lenght : 60 cm
- Height : 150 cm
- Width : 10 cm

Product Code | **302720**

- Lenght : 60 cm
- Height : 150 cm
- Width : 15 cm

Product Code | **302721**

- Lenght : 60 cm
- Height : 100 cm
- Width : 10 cm

Product Code | **302722**

VENTILATION SYSTEMS

Ventilation Fan

Size	140 x 140 cm
Blades	Stainless Steel - 6 pcs
Motor	1.1 KW
Body	Galvanized
Back	Shutter
Airflow m ³	42.000

Product Code | 302801

Ventilation Fan

Size	100 x 100 cm
Blades	Stainless Steel - 6 pcs
Motor	0.55 KW
Body	Galvanized
Back	Shutter
Airflow m ³	16.000

Product Code | 302805



Cone Fan

Size	140 x 140 cm
Blades	Stainless Steel - 6 pcs
Motor	1.1 KW
Body	Galvanized
Back	Butterfly
Airflow m ³	52.000

Product Code | 302813



VENTILATION SYSTEMS

Air Inlet



- Dimensions
 - Indoor : 55 x h 26.5 cm
 - Outdoor : 59 x h 32.5 cm
 - Depth : 15 cm
- Product Code | **302820**

Big Air Inlet



- Dimensions
 - Indoor : 61 x h 31 cm
 - Outdoor : 68 x h 38 cm
 - Depth : 15 cm
- Product Code | **302822**

Air Inlet Cover



- Dimensions: 68 x h 40 cm
 - Depth : 32 cm
- Product Code | **302832**

Air Inlet Cover



- Dimensions: 77 x h 35.5 cm
 - Depth : 31 cm
- Product Code | **302830**

CURTAIN SYSTEMS



NEW ✓

Curtain Chain



Product Code | **302769**

Curtain Motor



- Motor
- 120 W, 220 V AC
- (0-50 m)
- Product Code | **302766**
- Motor
- 180 W, 24 V DC
- (50-100 m)
- Product Code | **302766-2**

PVC Curtain
(450 Density $m^2 = 430$ g)
Light Block: No
Product Code | **303271**

PVC Curtain
(1100 Density $m^2 = 850$ g)
PVC Curtain (Light Blocker)
Product Code | **303272**

FEED LOADING SYSTEMS

Silos

Code	Capacity T.	Capacity m ³	Diameter m	Height m	Num. Of Legs
302602	5.00	8	2.10	5.20	4
302603	7.00	11	2.10	5.20	4
302605	9.00	14	2.10	6.00	4
302606	11.0	17	2.65	5.50	6
302607	14.0	22	2.65	6.30	6
302608	18.0	28	2.65	7.20	6
302609	21.0	33	2.65	8.00	6
302610	25.0	39	2.90	8.85	6

- Window
- Ladder
- Security cage for ladder

- Fiber tank
- Side unloading Cover



Silos And Line ①


Electronic
and Mechanic



Product Code | **302630**

Spiral ②

65 mm



Product Code | **3023256**

Single Outlet ③

(With Feed Stop)



Product Code | **302631**

Dual Outlet ④

(With Feed Stop)



Product Code | **302632**

Three Outlet ⑤

(With Feed Stop)



Product Code | **302662**



Pneumatic Loading System Feed 4-6-9-11 Tons

Product Code | **302620**


Pneumatic Loading System Feed 14-18-21 Tons

Product Code | **302620-1**

FEED LOADING SYSTEMS



Feed Supply Line (15-40 M)



WEIGHING SYSTEMS

Chick Weighing Systems

Product Code | **303115**



Chick Scale

Product Code | **303116**

- Calculates number of weighted chicks
- Calculates daily average weight of a high number weighted chicks and standart deviation
- Calculates daily growing ratio
- Stores 100 day informations in memory
- Connects to two weighing plates
- Have 4 different programs for broiler, pullets, heavy breeders and turkeys



Silo Feed Loader

Product Code | **302621**



- Length : 8 mt.
- Diameter: 11.5 cm

Product Code | **302621**

- Length : 12 mt.
- Diameter: 11.5 cm

Product Code | **302621-3**



Silo Weighing System

Product Code | **302650**



Silo Weighing System

Product Code | **302651**

Specifications of Electronic Feed Weighing System:

- Registers the daily and total feed consumption.
- Activates the auger motor to deliver feed automatically.
- Activates the alarm in unexpectes.
- Includes 4 load cells and mounting brackets for the silo.
- Legs ,other option is 8 load cells for two silos.
- Can be preset a quantity of feed up to 8 times in a 24 hour cycle.
- Can be connected into a PC

HEATING SYSTEMS



Heat Generator (Air Heater) Solid Fuel

- Automatic adjustment of fuel supply speed
- Burning chamber is made of cast iron
- Chrome steel mixer has heat resistance up to 1200c
- 90% thermal efficiency
- Turbo system

Code	Capacity kcal/sa	Engine Power	Flow Fan m ³ /sa	Air Flow m ³ /h	Fuel Expense Soal 5000 kcal/kg
302952	150.000	2.61	12.000	8.000	13.33 KG
302953	200.000	3.31	12.000	12.000	17.18 KG
302954	250.000	4.11	12.000	12.000	22.22 KG
302955	300.000	5.11	18.000	13.500	26.67 KG
302957	400.000	8.99	27.000	13.500	35.56 KG
302958	500.000	8.99	40.000	26.650	44.44 KG
302959	600.000	8.99	50.000	30.00	58.00 KG

Diesel Heaters

Code	Capacity kcal/sa	Consumtion m ³ /s	Fan Stream m ²	Dimensions cm	Weight kg
302971	50.000	5	500-2000	46 x 100 x 33	32
302973	100.000	10	1000-4000	63 x 154 x 75	68

Gas Heaters

Code	Capacity kcal/sa	Consumtion m ³ /s	Fan Stream m ²	Dimensions cm	Weight kg
302970	50.000	5,8	400-2500	35 x 42 x 100	21
302972	100.000	13,3	1500-5000	69 x 58 x 148	52

Dual Heater (Natural Gas-Diesel Heater)

Code	Capacity kcal/sa	Consumtion m ³ /s	Fan Stream m ²	Dimensions cm	Weight kg
302976	100.000	10	1000-4000	63 x 154 x 75	71
		12			



LIGHTING SYSTEMS



Led Lamp 9 W

- E27 Lamp Holder
- 810 Lumen
- IP 66 - Waterproof
- Clour 3000 K
- Dimmable


Product Code | **303013**



Led Lamp 14 W

- E27 Lamp Holder
- 1400 Lumen
- IP 66 - Waterproof
- Clour 3000 K
- Dimmable

Product Code | **303014**



Lighting Board With Dimmer

Product Code | **302097**



- Controls 1500-700W
- Sunrised sunset program
- Specity lighting timeing
- Auto or manuel

Lamp Holder

IP 64
Waterproof



Product Code | **303011**

Electric Cable

2 x Ø 2.5 mm



Product Code | **303030**

Actuator Adapter



Product Code | **303123**

Actuator Remote Control



Product Code | **303124**

AUTO CONTROLLER



Fridge Type Controller

Product Code | **303110**

- Ventilation fan
- The pump motor
- Heater control output
- Inside temperature sensor
- Outside temperature sensor
- Humidity sensor
- Pressure switch
- Alarm horn and outpur
- Power failure alarm
- Phase loss, low supply voltage alarm
- Engine failure alarm
- High humidity alarm
- Low humidity alarm
- Air inlet controller
- The controller controls all electrical items inside the farm everything works automatically with sensors

Feeding Line Lifting Reducer
Motor 1.1 kw. - 2.2 kw.



Product Code | **302060**

Lifting System



Product Code | **302209**

Window and Air Inlet
Motor With Reducer



■ 0.55 kw

Product Code | **302069**



Actuator

- | | | |
|------------------------------|------------------------------|------------------------------|
| ■ Input Voltage : 12V/24V DC | ■ Input Voltage : 12V/24V DC | ■ Input Voltage : 12V/24V DC |
| ■ Stroke : 300 mm | ■ Stroke : 500 mm | ■ Stroke : 600 mm |
| ■ Load Cap. : 6000 N MAX. | ■ Load Cap. : 6000 N MAX. | ■ Load Cap. : 6000 N MAX. |
| Product Code 303120 | Product Code 303121 | Product Code 303122 |



Head Office:

Oruç Reis Mah. Tekstilkent Cad. Koza Plaza A Blok Kat: 10
Esenler, 34235-İstanbul/Türkiye

Telephone : +90 212 682 00 15 **Fax** : +90 212 682 03 15

Fabrika Sahası:

Akova Mah. Sakarya Bulvarı E5 Üzeri No: 81/1
Hendek, 54300-Sakarya/Türkiye

Telephone : +90 264 600 10 10 **Fax** : +90 264 600 10 13



www.aytav.com.tr